

Lijst aanwezig tov vergunde hoeveelheden

17/apr/26

Productnaam			hoeveelheid in kg	hoeveelheid in liter	Vlarem 6.4.3	Vlarem 17.3.1.	Vlarem 17.3.2.1.1.	Vlarem 17.3.2.1.2.	Vlarem 17.3.2.2.	Vlarem 17.3.2.3.	Vlarem 17.3.3.	Vlarem 17.3.4.	Vlarem 17.3.5.	Vlarem 17.3.6.	Vlarem 17.3.7.	Vlarem 17.3.8.	Vlarem 17.4.	H2S possible	Endocrineverstoring	H400-H410	H411	Max Storage Temp (°C)	Max Handling Temp (°C)	Type verpakking	Locatie opslag	
Productcode	Naam	Toepassing				GHS01	GHS02	GHS02	GHS02	GHS02	GHS03	GHS05	GHS06	GHS07	GHS08	GHS09										
72178	PAO6	Base oil	40.000	40.000	40.000																			Tank	3309	T3309 zone TP33
800898	NEXBASE 3080	Base oil	100.000	100.000	100.000																			Tank	3403	T3403 zone TP34
801074	LUBRIZOL 5190C	Raw Blending	3.376	3.376								3.376		3.376		3.376		Y	Y	3.376		45	70	Drum		FIFO
801080	VISCOPLEX 1-330	Raw Blending	6.800	6.800	6.800																	100	100	Drum		FIFO
801081	VISCOPLEX 8-251	Raw Blending	2.800	2.800	2.800																	100	100	Drum		FIFO
801082	ELCO 313A	Raw Blending	1.576	1.576										1.576								38	50	Drum		FIFO
801300	VISCOPLEX 1-300	Raw Blending	1.400	1.400	1.400																			Drum		FIFO
801330	LUBRIZOL 5172	Raw Blending	800	800	800																	45	70	Drum		FIFO
801336	INFINEUM P6003	Raw Blending	38.970	45.000											38.970			Y				50	50	Tank	3205	T3205 zone TP32
801405	VISCOPLEX 1-318	Raw Blending	21.000	21.000	21.000																	100	100	IBC		FIFO
801481	VISCOPLEX 1-604	Raw Blending	2.800	2.800	2.800																			Drum		FIFO
801499	HITEC 536	Raw Blending	920	920										920										Drum		FIFO
802178	INFINEUM D 3314	Raw Blending	17.200	17.200	17.200																	50	50	IBC		FIFO
802407	INFINEUM SV261L	Raw Blending	38.970	45.000	38.970																	85	85	Tank	3208	T3208 zone TP32
802471	MOTOR OIL 5W30	Finished Blending	266.000	266.000	266.000																			Tank	3214	T3214 zone TP32
802554	OLOA 249SX	Raw Blending	944	944	944																	45	85	Drum		FIFO
802584	INFINEUM P6660	Raw Blending	60.000	60.000										60.000	60.000			Y				45	85	Tank	3406	T3406 zone TP34
802588	OLOA 44250	Raw Blending	3.008	3.008										3.008	3.008			Y	Y					Drum		FIFO
802589	INFINEUM V385	Raw Blending	3.500	3.500	3.500																	80	80	Drum		FIFO
802836	ANGLAMOL 2010	Raw Blending	37.800	45.000										37.800	37.800							45	60	Tank	3206	T3206 zone TP32
802852	INFINEUM V387	Raw Blending	4.000	4.000	4.000																	50	70	Drum		FIFO
802867	OLOA 46600	Raw Blending	12.690	12.690										12.690	12.690			Y	Y					IBC		FIFO
802933	Rando HDZ 46	Finished product	60.000	60.000	60.000																			Tank	3272	3272
802937	Lubrisyn 110	Base oil	60.000	60.000	60.000																		70	Tank	3408	T3408 zone TP34
802940	Viscoplex 8-219	VI improver	60.000	60.000	60.000																			Tank	3270	T3270
803055	OLOA 54050	Raw Blending	60.000	60.000										60.000	60.000			Y	Y			45	85	Tank	3409	T3409 zone TP34
803066	INFINEUM T4714	Raw Blending	3.720	3.720										3.720				Y				45	60	Drum		FIFO
803138	INFINEUM C9455B	Raw Blending	1.520	1.520										1.520				Y				45	60	Drum		FIFO
803142	HITEC 2589	Raw Blending	985	985										985	985						985			Drum		FIFO
803193	INFINEUM T4296	Raw Blending	17.500	17.500										17.500								60	65	Drum		FIFO
803234	OLOA 54499	Raw Blending	2.976	2.976										2.976				Y				45	66	Drum		FIFO
803249	OLOA 44252	Raw Blending	12.710	12.710										12.710	12.710			Y	Y			45	80	IBC		FIFO
803250	OLOA 21030SA	Raw Blending	18.385	18.385									18.385	18.385				Y	Y					IBC		FIFO
804003	FUNCTIONAL V-176	Raw Blending	1.342	1.342	1.342																	50	80	Drum		FIFO
804015	PARATONE 24EX	Raw Blending	106.250	125.000	125.000																	80	85	Tank	3224	T3224 zone TP32
804031	VISCOPLEX 8-956	Raw Blending	3.675	3.675	3.675																	100	100	Drum		FIFO
804036	HAVOLINE ProDS M 5W30	Finished Blending	60.000	60.000	60.000																			Tank	3404	T3404 zone TP34

Productnaam			hoeveelheid in kg	hoeveelheid in liter	Vlarem 6.4.3	Vlarem 17.3.1.	Vlarem 17.3.2.1.1.	Vlarem 17.3.2.1.2.	Vlarem 17.3.2.2.	Vlarem 17.3.2.3.	Vlarem 17.3.3.	Vlarem 17.3.4.	Vlarem 17.3.5.	Vlarem 17.3.6.	Vlarem 17.3.7.	Vlarem 17.3.8.	Vlarem 17.4.	H2S possible	Endocrineverstoring	H400-H410	H411	Max Storage Temp (°C)	Max Handling Temp (°C)	Type verpakking		Locatie opslag	
Productcode	Naam	Toepassing				GHS01	GHS02	GHS02	GHS02	GHS02	GHS03	GHS05	GHS06	GHS07	GHS08	GHS09											
804120	LUBRIZOL CV1201X	Raw Blending	45.000	45.000	45.000														Y			45	70	Tank	3202	T3202 zone TP32	
804161	DELO 400 RDS 10W40	Finished Blending	345.000	345.000	345.000																			Tank	3218	T3218 zone TP32	
804164	DELO GOLD ULTRA	Finished Blending	150.000	150.000	150.000																			Tank	3228	T3228 zone TP32	
804201	VOLVO VDS 4.5 10w30	Finished Blending	125.000	125.000	125.000																			Tank	3210	T3210 zone TP33	
804292	HITEC 317	Raw Blending	3.264	3.264										3.264		3.264		Y			3.264			Drum		FIFO	
804321	DELO 400 XSP-FA 5V	Finished product	345.000	345.000	345.000																			Tank	3219	T3219 zone TP32	
804322	OLOA 99500	Raw Blending	121.250	125.000							121.250		121.250	121.250				Y	Y			45	85	Tank	3225	T3225 zone TP32	
804328	OLOA 99758	Raw Blending	3.680	3.680										3.680	3.680			Y	Y			45	85	Drum		FIFO	
804370	OLOA 61530	Raw Blending	123.125	125.000							123.125		123.125	123.125				Y				45	85	Tank	3222	T3222 zone TP32	
804436	ANGLAMOL GO3230	Raw Blending	3.280	3.280										3.280		3.280		Y			3.280	45	60	Drum		FIFO	
804447	OLOA 99600	Raw Blending	123.875	125.000										123.875	123.875							45	80	Tank	3212	T3212 zone TP32	
804460	OLOA 42500	Raw Blending	5.952	5.952										5.952	5.952			Y	Y					Drum		FIFO	
804467	OLOA 59766	Raw Blending	121.000	125.000										121.000				Y				45	85	Tank	3220	T3220 zone TP32	
804492	PARATONE 35EX	Raw Blending	43.875	45.000	43.875																	100	100	Tank	3209	T3209 zone TP32	
804511	OLOA 61005B	Raw Blending	118.625	125.000										118.625	118.625			Y	Y			45	66	Tank	3221	T3221 zone TP32	
804514	PARATONE 8071E	Raw Blending	45.000	45.000	45.000													Y				90	90	Tank	3201	T3201 zone TP32	
804524	OLOA 54000T	Raw Blending	104.750	125.000										104.750	104.750			Y	Y			45	85	Tank	3223	T3223 zone TP32	
804535	LUBRIZOL CV6320	Raw Blending	712	712	712																	45	70	Drum		FIFO	
804563	HAVOLINE PRO DS C	Finished Blending	150.000	150.000	150.000																			Tank	3227	T3227 zone TP32	
804566	OLOA 55516	Raw Blending	45.000	45.000										45.000				Y	Y			45	80	Tank	3203	T3203 zone TP32	
804588	OLOA 44258A	Raw Blending	12.580	12.580										12.580	12.580			Y	Y					IBC		FIFO	
804653	LUBRIZOL AH921ZF	Raw Blending	3.152	3.152								3.152		3.152		3.152		Y			3.152	45	70	Drum		FIFO	
804677	VISCOPLEX 8 -915	Raw Blending	1.400	1.400	1.400																			Drum		FIFO	
804680	OLOA 46800	Raw Blending	3.008	3.008								3.008		3.008				Y	Y					Drum		FIFO	
804731	OLOA 59361	Raw Blending	43.875	45.000	43.875													Y				45	66	Tank	3204	T3204 zone TP33	
804731	OLOA 59361	Raw Blending	125.000	125.000	125.000													Y				60	65	Tank	3226	T3226 zone T32	
804795	OLOA 54531	Raw Blending	60.000	60.000										60.000	60.000			Y				45	85	Tank	3407	T3407 zone TP34	
805084	IRGANOX L-57	Raw Blending	1.520	1.520										1.520								35	35	Drum		FIFO	
805146	IRGAMET 39	Raw Blending	200	200										200		200					200	200	20	20	Drum		FIFO
805846	BS 150	Base oil	226.100	266.000																				Tank	3216	T3216 zone TP32	
806450	Neutral OIL 100R	Base oil	350.000	350.000										350.000										Tank	3211	T3211 zone TP32	
807248	NEUTRAL OIL 220R	Base oil	1.706.000	2.000.000	2.000.000																			Tank	3401	T3401 zone TP34	
807249	Neutral OIL 600R	Base oil	435.369	501.000	501.000																			Tank	3217	T3217 zone TP32	
815005	OLOA 9750	Raw Blending	2.640	2.640										2.640											Drum		FIFO
815134	DEFOAMER PC-1644	Raw Blending	750	750	750																	75	90	Drum		FIFO	
815282	LUBRIZOL 7077D	Raw Blending	845	845	845																	75	120	Drum		FIFO	
827098	INFINEUM SV261	Raw Blending	2.720	2.720	2.720																	50	50	Drum		FIFO	
827225	INFINEUM SV151	Raw Blending	6.880	6.880	6.880																				Drum		FIFO
827243	IRGALUBE 353	Raw Blending	400	400								400		400					Y				25	35	Drum		FIFO
827274	AUT. RED IK HF	Raw Blending	250	250										250											Drum		FIFO
827295	OLOA 9725 XV	Raw Blending	45.000	45.000										45.000				Y				40	55	Tank	3207	T3207 zone TP32	

Productnaam			hoeveelheid in kg	hoeveelheid in liter	Vlarem 6.4.3	Vlarem 17.3.1.	Vlarem 17.3.2.1.1.	Vlarem 17.3.2.1.2.	Vlarem 17.3.2.2.	Vlarem 17.3.2.3.	Vlarem 17.3.3.	Vlarem 17.3.4.	Vlarem 17.3.5.	Vlarem 17.3.6.	Vlarem 17.3.7.	Vlarem 17.3.8.	Vlarem 17.4.	H2S possible	Endocrineverstoring	H400-H410	H411	Max Storage Temp (°C)	Max Handling Temp (°C)	Type verpakking		Locatie opslag	
Productcode	Naam	Toepassing				GHS01	GHS02	GHS02	GHS02	GHS02	GHS03	GHS05	GHS06	GHS07	GHS08	GHS09											
835290	VISCOPLEX 0-226	Raw Blending	7.000	7.000	7.000																				Drum	FIFO	
835591	LUBRIZOL 6178	Raw Blending	4.512	4.512	4.512																	45	60	Drum	FIFO		
835637	LZ 888 - DILUTE SILICONE 1000	Raw Blending	840	840										840								50	50	Drum	FIFO		
835928	ANGLAMOL 99	Raw Blending	3.488	3.488										3.488		3.488		Y		3.488		45	45	Drum	FIFO		
836050	LUBRIZOL 7077	Raw Blending	10.200	10.200	10.200																	75	120	Drum	FIFO		
836073	Viscoplex 8-400	Vi improver	60.000	60.000	60.000																			Tank	3271	3271	
836646	NEXBASE 3030	Base oil	100.000	100.000										100.000											Tank	3301	T3301
836647	Nexbase 3043	Base oil	500.000	500.000										500.000											Tank	3215	T3215 zone TP32
836647	Nexbase 3043	Base oil	1.025.000	1.025.000										1.025.000											Tank	3229	T3229
836648	NEXBASE 3050	Base oil	1.800.000	2.000.000	2.000.000																				Tank	3402	T3402 zone TP34
836649	NEXBASE 3060	Base oil	292.521	347.000	347.000																				Tank	3213	T3213 zone TP32
840123	HAVOLINE ENERGY 5W30	Finished Blending	60.000	60.000	60.000																				Tank	3405	T3405 zone TP34
	Propanol	Lab - brandkast	10	10					10			10		10											Fles		
	Zoutzuur 37%	Lab Zuurkast	10	10								10		10											Bottle	Labo zone 19.00	
	Lab 10AP Miele	Lab Basekast	20	20								20					20								Pail	Labo zone 19.00 (kleine recipiënten)	
	Lab 30 C Miele	Lab Zuurkast	20	20										20			20								Drum	FIFO	
	Mucosol	Lab Basekast	20	20								20					20								Pail	Labo zone 19.00	
	Aceton	Lab - brandkast	50	50				50					50	50	50	50	50								Pail	Labo zone 19.00	
	Ethanol	Lab - brandkast	50	50				50					50	50			50								Pail	Labo zone 19.00	
	Premisolv	Lab - brandkast	50	50													50								Pail	Labo zone 19.00	
	Heptaan	Solventcontainer	400	400				400					400	400	400					400					Drum	FIFO	
	Wasbenzine	Solventcontainer	400	400				400					400	400	400					400					Drum	FIFO	
	Infineum SV 203	Raw Blending	1.360	1.360	1.360																	80	90	Drum	FIFO		
	Lubrizol 7719a	Raw Blending	1.400	1.400	1.400																				Drum	FIFO	
	Lubrizol 1038	Raw Blending	1.632	1.632								1.632		1.632	1.632	1.632		Y		1.632		45	70	Drum	FIFO		
	Spectrasyn 100	Raw Blending	1.700	1.700	1.700																	80	85	IBC	FIFO		
	Anglamol 2099G	Raw Blending	3.296	3.296										3.296								45	60	Drum	FIFO		
	Viscoplex 8-400	Raw Blending	3.500	3.500	3.500																				Drum	FIFO	
	Anglamol 2000	Raw Blending	4.968	4.968										4.968								45	60	Drum	FIFO		
	Purebase 4	Raw Dissolving	6.000	6.000	6.000																				IBC	FIFO	
	InfineumT4299	Raw Blending	11.220	11.220										11.220	11.220							45	60	Drum	FIFO		
	LUBRIZOL 5703DC	Raw Blending	11.400	11.400								11.400		11.400		11.400		Y		11.400		45	70	Drum	FIFO		
	OLOA 99600	Raw Blending	12.270	12.270										12.270	12.270										IBC	FIFO	
	OLOA 61003T	Raw Blending	12.660	12.660										12.660				Y	Y			50	50	IBC	FIFO		
	OLOA 44200	Raw Blending	16.990	16.990										16.990	16.990			Y	Y						IBC	FIFO	
	Finished product	Raw Dissolving	34.000	34.000	34.000																	85	85	Tank	3313	T3313 zone 6.21	
	Finished Product	Finished product	40.000	40.000	40.000																				Tank	3307	T3307
	Finished Product	Finished product	40.000	40.000	40.000																				Tank	3308	T3308 / zone 6.07
	Finished Product	Finished product	40.000	40.000	40.000																				Tank	3310	T3310 zone 6.18
	Finished Product	Finished product	32.800	40.000	32.800																				Tank	3311	T3311
	Finished product	Finished Dissolving	40.000	40.000	40.000																				Tank	3312	T3312 zone 6.20

